




Doors to make the best first impression



RKDOORSYSTEMS

Let's make an entrance

by *Sherborne*



Discover why our doors **are so special**

RK Door Systems specialises in the supply of highly insulated aluminium entrance doors that offer exceptional performance combined with contemporary designs.

Using precision German technology we have developed a selection of contemporary entrance doors that offer extremely low maintenance with wipe clean surfaces and through their rigid construction will not warp or bow.

Each design is available in a range of specifications and finishes and combined with their modern and unique designs they will make a stunning entrance to any building.

Our range of doors suit every style and budget, starting with the Entré range for the cost conscious buyer through to our stunning Pivot doors with unique finishes for the ultimate entrance.



Excellence

Our **Excellence** range offers almost limitless possibilities

Our Excellence range offers some of the highest performing doors in Europe. We have an amazing collection of designs which are available in a range of specifications & finishes. All of our doors are handmade so you really can create a door that is unique to you.

Once you've chosen your door style, select your level of insulation and accessories and it will be built in our state of the art factory. Our online design configurator allows you to create and view your new door so that your purchase is exciting and stress free.

The doors have a flush interior and exterior and are Secured by Design Certified, European security level RC2 and RC3 and UK PAS 24 Certified, all of which delivers high levels of protection from unwanted intruders and the experienced burglar.



Standard equipment

- ▀ A choice of 16 standard colours, fine structure available free of charge (any RAL colour and specialist finishes for an extra cost)
- ▀ Exclusive profile. 75mm overall thickness
- ▀ High quality aluminum insulated panel
- ▀ U-value 0.72W/sq.mK
- ▀ Triple-glazed with triple heat protection glass (warm edge) and laminated security glass, thickness of 44 mm joint
- ▀ Secured by Design security certified
- ▀ PAS 24 certified five point high security GU lock with hook bolts made from high-grade stainless steel
- ▀ 1000 mm stainless steel handrail with straight or inclined supports
- ▀ 3 two-part fully adjustable rollband hinges in silver EV1 or RAL 9016 white
- ▀ PAS 24 certified high security cylinder, including 3 keys
- ▀ Aluminum interior door handle on a long plate in EV1 silver or white
- ▀ Standard dimensions:
 - Min: 800 wide / 1900 mm high
 - Max: 1150 wide / 2250 mm high
 - Special order up to 1300 mm wide by 3000 mm high
- ▀ All 75mm doors available with pivot opening option





Pivot Doors

Upgrade your home to the ultimate entrance statement - A Pivot Door

All of our Excellence doors can be upgraded to a Pivot door, or we can work with your ideas and create a bespoke design just for you.

This prestigious opening style is available for all our door designs, both standard and custom, with the added benefit of grand door sizes up to 2000mm wide x 3000mm high*, in a single panel. In addition, sidelights and fanlights are available within a single frame construction to create the ultimate entrance.

These new pivot doors use our Exclusive profile, manufactured from premium German components and benefit from our hallmark flush door and frame construction system. These doors achieve a U Value of 0.72W/sq.mK and have full PAS 24 and Secure by Design enhanced security certification as standard, offering high levels of protection from the elements and unwanted intruders.

Please contact us for further information and together, let's make an entrance...



Pivot door information

- 📖 **Design your door online**
- 📖 **Choice of colours and finishes**
- 📖 **Optional finger print entry**
- 📖 **High security**
- 📖 **Standard dimensions:**
 - 1600 wide x 2500 mm high
 - *Larger sizes up to 2000mm wide and 3000mm tall on request.
- 📖 **Min width - Refurb projects 1100mm**
- 📖 **Min width - New builds 1200mm**





Elite Finishes. Our Pivot Doors are available in our stunning Elite range of metallic and ceramic finishes.



Copper textured



Corton steel



Oxide Moro



Tredi Carbonio



Bronze textured



Antique bronze




Filo Pece




Ossido Bruno



Rustic steel



Antique copper



Ossido Nero



Ossido Nero



Entré Range

Introducing **Entré** our fantastic value for money range

This selection of unique entrances offers style and performance with a price point designed specifically to offer exceptional value for money. The doors comprise many of the same quality components as our Excellence range and have a flush interior and exterior. In addition, all Entré doors are Secured by Design Certified, European security level RC2 and RC3 and UK PAS 24 Certified, all of which delivers high levels of protection from unwanted intruders and the experienced burglar.

The overall specification of handle, locking system and colours have been carefully selected and negotiated to maximise savings. Please contact us for further information and details of complimentary sidelights to match the doors.



RK1100



RK1200



RK1300



RK1400



RK1600



RK1700



ENTRE' SPECIFICATION

FRAME DEPTH	65mm
U VALUE	0.90W/sq.mK
MAX DOOR SIZE	1100 x 2200mm
MAX SIDELIGHT	1000 x 2200mm
FANLIGHT	N/A
HANDLE	ES40.1000 BAR
GLAZING	38mm TRIPLE
COLOURS	Grey Red Black White
LETTERBOX	Optional extra
GLASS ETCHING	Optional extra
CUSTOM DESIGN	N/A
FINGER SCAN ENTRY	N/A



RAL 3004
Purple red matt




RAL 9016
Traffic white

Available in 4 colours,
optional fine structure
finish available free of
charge.



RAL 7016
Anthracite
Grey matt



RAL 9005
Jet Black matt

More colours and
finishes available for
a surcharge.



Flush face to the interior and exterior



Stunning wood planked effect doors, totally unique to us.

Replicate the colour and aesthetics of wood without the problems of maintenance and instability.

If you are looking for an authentic timber appearance, we have the complete solution for you.

The Rolls Royce of front doors...



I've never owned a Rolls Royce, and are not likely to, but I now know how it must feel to open and shut the door on one.

The RK door we have purchased from their Entre range oozes class & quality.

Mr. M Harris - London



Door profiles and construction



We offer the largest selection of door profile options in the UK, giving you maximum choice of design, performance and function. All our doors are hand made using high quality German products and designed and manufactured in our own factory to ensure every door benefits from the same high standard of material and finish.

All our doors, including our new pivot door, benefit from Secured by Design and PAS24:16 enhanced security certification to ensure full compliance with UK Building Regulation and insurance requirements and giving our customers complete peace of mind.

Our U Values have been drawn up by the database DIN EN ISO 10077-1 and refers to dimensions 1250 x 2250 mm

* With roll hinges EV1 silver or RAL 9016 white


RK ENTRE U VALUE 0.90



2-sided overlay panel inside and outside

- Three-fold heat protection glass VSG 6.4mm / pattern glass / VSG 6.4mm with warm edge Ug 0.7 W/m2K
- With roll hinges*


RK STANDARD U-VALUE 0.95



One-side facing on the outside

- Three-fold heat protection glass VSG 6.4mm / pattern glass / VSG 6.4mm with warm edge Ug 0.7 W/m2K

RK EXCLUSIVE U VALUE 0.72



2-sided overlay panel inside and outside

- Three-fold heat protection glass VSG 6.4mm / pattern glass / VSG 6.4mm with warm edge Ug 0.7 W/m2K
- With roll hinges*

RK EXCLUSIVE CLASSIC U VALUE 0.72



2-sided overlay panel inside and outside

- Three-fold heat protection glass VSG 6.4mm / pattern glass / VSG 6.4mm with warm edge Ug 0.7 W/m2K
- With roll hinges*

RK PREMIUM U VALUE 0.67



2-sided overlay panel inside and outside

- Four-fold heat protection glass VSG 6.4mm / clear glass / pattern glass or design glazing / VSG 6.4mm with warm edge Ug 0.3 W/m2K (glass thickness 84mm)
- With roll hinges*

RK EXCLUSIVE PIVOT U VALUE 0.72



2-sided overlay panel inside and outside

- Three-fold heat protection glass VSG 6.4mm / pattern glass / VSG 6.4mm with warm edge Ug 0.7 W/m2K
- With pivot hinges

Performance and style



RK 3000



RK 3010



RK 3020



RK 3030



RK 3040



RK 3050



RK 3060



RK 3070



RK 3080



RK 3090



RK 3100



RK 3110



designed for you...

...with endless design possibilities,
design your dream door online at
www.rkdoorsystems.co.uk



RK 4000



RK 4010



RK 4020



RK 4030



RK 4040



RK 4050



RK 4060



RK 4070



RK 4080



RK 4090



RK 4100



RK 4110



RK 4120



RK 4200




RK 4210



RK 4220



RK 4230





RK 4240



RK 4250



RK 4260



RK 5000



RK 5010



RK 5020



RK 5030



RK 4270



RK 870



RK 880



RK 5040




RK 5050



RK 5060



RK 5070



RK 5080



RK 5090



RK 5100



RK 5110



RK 5120



RK 5130



RK 5140



RK 130



RK 830



RK 860



RK 900



RK 5150 3D



RK 5160 3D



RK 5170 3D



RK 800



RK 200



RK 920



RK 910




RK 5180 3D



RK 5190 3D



RK 5200 3D





RK 2000



RK 2100



RK 2200



RK 500



RK 510



RK 520



RK 530



RK 2300



RK 2400



RK 2500



RK 540



RK 550



RK 600



RK 610



RK 620



RK 630



RK 640



RK 650



RK 660



RK 670



RK 680



RK 690



NET 1



NET 2



NET 3



RK 10



RK 20



RK 30



RK 40



RK 50



RK 60



RK 70



RK 80



RK 90



RK 100



RK 101



RK 102



RK 103



RK 104



RK 105



RK 106



RK 107



RK 108



RK 109



RK 110

sidelights



RK 100



RK 110



RK 140



RK 160



RK 180



RK 270



RK 210



RK 290



RK 380



RK 350



RK 150



RK 220



RK 230



RK 190



RK 260



RK 480



RK 470



RK 710



RK 720



RK 300



RK 360



RK 410



RK 340



RK 440



RK 420



RK 5210



RK 950




RK 370



RK 400



RK 430



RK 170



RK 330



RK 450

LETTERBOXES

Our letterboxes are available as a factory fitted letterplate in your door or better still, why not select one of our stunning handmade letterboxes in a range of contemporary designs.

Choose from wall mounted, through wall designs or freestanding postboxes in a range of **stunning modern designs** that can be **customised to suit** all tastes and styles and can include built in door bells and intercoms for gated properties.




STANDARD COLOURS


Any RAL colour available*




RAL 9016
Traffic white matt
Fine structur, smooth




RAL 9010
Pure white matt




RAL 9006
White aluminium matt



RAL 7035
Light grey matt



RAL 7001
Silver grey matt



RAL 9007
Grey aluminium matt
Fine structure



RAL 3000
Fiery red matt



RAL 6005
Moss green matt




RAL 7021
Black grey matt



RAL 7039
Quartz grey matt




Metallic fine
structure DB 703




RAL 7015
Slate grey matt



RAL 7016
Anthracite grey matt
Fine structure



RAL 9005
Deep black matt
Fine structure



RAL 3004
Purple red matt



RAL 8017
Chocolate brown matt

All doors are powder coated in a choice of 16 standard colours in either matt or fine structure finish.

All colours have a gloss level of 30% with the upgrade option of choosing any RAL colour or, one of our many specialist finishes.

FOIL COATING*



Siena Noce 49237




Siena Rosso 49233



Mahagoni
2097013-167



Winchester 49240




Golden Oak
2178001-167




Walnut
2178007-167


HD WOOD FINISHES*




HD Dark cherry




HD Light cherry




HD Golden Oak



HD Walnut




HD Wenge




HD Black Wood




HD Beech antique




HD Winchester




HD Mahagoni



HD Sierra



HD Mountain-pine



HD Dark oak
high gloss

ORNAMENTAL GLAZING



Chinchilla
white



Mastercarre
white



Masterpoint



Satinato




Master Ligne

Ornamental glazing - Per your own desire

METAL FINISHES*



Copper textured



Corton steel




Bronze textured



Antique bronze



Rustic steel




Antique copper


CERAMIC FINISHES*




Oxide Moro




Tredi Carbonio



Filo Pece



Ossido Bruno



Ossido Nero



Oxide Nero



designed for you...

...with endless design possibilities,
design your dream door online at
www.rkdoorsystems.co.uk

APPLICATIONS



Alu-Nox 15 mm
application flush
embedded outside



Alu-Nox Smart 5 mm
application flush
embedded outside



Stainless steel Liesenen
5x5 mm

FACE GROOVES




10 mm wide flat



5 mm smart




Semi-circular



Traditional V grooves

HANDRAILS



Other models available
upon request

Attention: handrails with straight
supports are installed on the sash
only in flush embedded models




ES 10
Stainless steel handrail
with built-in electric
doorviewer and LCD
monitor inside



ES 20
Stainless steel handrail
(40 x 20 mm)
stainless steel handrail
with built finger scanner
e-key Arte

INTERIOR DOOR HANDLE



ES 2640
Interior door handle
on long plate
White or silver

ES 2690
Interior door handle
on the round rosette
Stainless steel

ES 2680
Interior door handle
on the oval rosette
Stainless steel

ES 2660
Interior door handle
Dublin on the oval rosette
Stainless steel polish /
Stainless steel satin

ES 2670
Interior door handle
Athen on the oval rosette
Stainless steel

ES 2675
Interior door handle Porto
on the oval rosette
Stainless steel satin

ES 2630
Interior door handle Galina
on the square rosette
Stainless steel

ES 2620
Interior door handle
on long plate
Stainless steel

HINGES



ES 2400-1
Dr. Hahn two-piece hinge series 4
White, silver, Alu-Inox



ES 2400
Dr. Hahn three-piece roll band
White, silver, Alu-Inox



ES 2460
PREMIUM hinge VL stainless steel, max 180
degree opening-hidden



ES 2450
Siegenia axent door 2- two piece hinge
VL zinc coated max 90° degree opening
*unavailable in Premium model

ELECTRIC DOOR OPENER/OVERHEAD DOOR CLOSER



ES 2100 Electric door opener
with daytime opening
ES 2110 Electric door opener
without daytime opening



ES 2320
GU VTS 735 Overhead door closer hidden
with guide rail and finding



ES 2300
GU OTS 634 Overhead door closer with guide rail and finding
White, silver, brown

CYLINDERS



ES 2200
Lock BKS Janus
Janus safety profile
cylinder with security
card according to
DIN EN 1303 and
DIN 18252



ES 900
Ultion or BKS TS 007
PAS 24 certified
cylinder - standard
fitment to all doors.



ES 2211
BKS profile
cylinder
with thumbturn

E-KEY



ES 2000
E-key finger scanner INTEGRA 2.1 including
control unit stainless steel



ES 2020
E-key keypad
black or white



ES 2010
E-key finger scanner ARTE including control
unit stainless steel

DIGITAL DOOR VIEWER



ES 4030 Digital door viewer

ALU NOX SCRATCH PROTECTION



ES 3400
Alu Nox scratch protection
„square“ embedded outside



ES 3200
Alu Nox scratch protection
„oval“ embedded outside



ES 3300
Alu Nox scratch protection
„half-round“ embedded
outside



ES 3500
Alu Nox scratch protection „smart
square“ embedded outside

SECURITY ROSETTE



ES 2610
Stainless steel security
PZ rosette with cylinder
protection „square“




ES 2615
Stainless steel security
PZ rosette with cylinder
protection „oval“



ES 2618
Stainless steel security
PZ rosette with
cylinder
protection „rond“


LETTERBOXES



KICK PLATE



GU SECURITY



Automatic latchbolt

Simply allow the door to fall shut: as soon as the door is shut, the automatic latchbolts automatically throw 20 mm and are secured to prevent them being forced back- the door is locked when just pulled shut.

These locking systems can be opened at any time via the lever handle from the inside and by key from the outside.

Massive bolt (MR)

The GU-SECURY MR system provides you with a multi-point lock which is protected from being sawn through or forced back-with two or four MR bolts depending on the requirements.

Automatic double latchbolt

The particular robust, self-locking system GU-SECURY Automatic 4 e.g. for house and apartment doors. Two MR bolts and two automatic latchbolts automatically throw 20 mm when the door is pulled shut and are secured against being forced back.



The safe T-catch is easy and convenient to operate via the thumbturn

EV1, white, stainless steel

Safe-T-catch activated from the inside

From the inside activated thumbturn can be deactivate outside using the key

Double bolt (DR)

The GU-SECURY DR multi- point lock Rolls the benefits of the SH (Hook bolt) and MR bolt into one double bolt. The lock geometry allows the same frame locking elements used with the GU-SECURY Automatic 4 system (with Automatic double latchbolt) to be used.

Google



Check out our reviews online



RKDOORSYSTEMS

Let's make an entrance

by Sherborne